

Leveraging Information Technology and Machine Learning for Explainable Business Intelligence in Quality Prediction

Intedhar Shakir Nasir

College of Medicine, University of Kerbala, Karbala, Iraq.

intedhar.shakir@uokerbala.edu.iq

Hussein Alkhazraji

*Faculty of Engineering and Information Technology,
Al-Zahraa University for Women, Karbala, Iraq*

hussein.alkhazraji@alzahraa.edu.iq

Ayad Hameed Mousa

*College of Computer Science and Information Technology,
University of Kerbala, Karbala, Iraq*

ayad.h@uokerbala.edu.iq

Sajjad Mohammed Naeem

*Department of Computer Engineering Techniques,
Imam Al-Sadiq University, Dhi Qar, Iraq.*

Sajjad.mohamed@ijsu.edu.iq

Corresponding Author: Ayad Hameed Mousa

Copyright © 2026 Intedhar Shakir Nasir, et al. This is an open access article distributed under the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Abstract

In the current data-driven corporate environment, companies understand that the main source of gaining a competitive edge is not through just data ownership but through the capability to analyse data fast and correctly to generate actionable insights. This article thoroughly outlines the synergy between information technology infrastructure and machine learning algorithms, and explainable artificial intelligence (XAI) in supporting and production of valuable business intelligence insight. Based on an apple quality dataset, which contains 4, 000 instances with 8 physicochemical attributes, we built and evaluated three supervised machine learning classifiers, Logistic Regression, K-Nearest Neighbour and Nave Bayes. All three models are evaluated using four classification metrics: precision recall F1-score and accuracy. Experimental results show that K-Nearest Neighbour is not only the most accurate (90%) classifier among all three, but the best-performing classifier for this set of data. Logistic Regression and Nave Bayes have equal accuracy of 75%. These results show that, KNN is the best classifier suitable for prediction of quality research says under consideration. We are also discussing major IT infrastructure issues like data pipeline architecture design, feature engineering, model deployment, and integration with other business intelligence systems Apart from algorithmic comparison. We not only raise these important infrastructure issues, we also develop and apply XAI methods tailored to KNN, like explanation by neighbours, feature contribution analysis, and counterfactual examples to make model interpretation easier for business persons. This paper has two major facets: it offers deep thinking for the academic world, and very good advice for practitioners wanting to use machine learning in quality prediction to be able to identify scaling issues and point out further directions for

research. Research results indicated good performance of KNN as a classifier for predictive quality control with minimal resources and, that means, it would find application in real business environments; Still, the introduction of XAI would help build better trust in machine learning among the staff.

Keywords: Information technology, Machine learning, Business intelligence, Explainable AI, KNN, Predictive quality classification, Data-Driven decision making.

1. INTRODUCTION

1.1 The Evolution of Business Decision-Making

The transformation from being intuition-driven to data-driven is one of the greatest events in recent history of business [1]. Classical applications of business decisions were based on managerial intuition and experience, theoretical guides for alternative evaluation [2]. It is good to look back to the traditional approaches for having systematic ways of making strategic decisions because the traditional structure in decision making tend to be based on the assumption of perfect information and rationality considerations which are often absent in real life [3, 4]. Businesses Today are facing the problems that can't be solved with the existing methods. Currently, firms are facing a data issue that is much larger than ever before. Besides simply more figures, it's a whole new issue. It is introduced from all sides: purchasing systems CRM social media streams. IoT sensors. Also, the supply chain networks that are continuously running [5]. The whole thing is fast. Really fast. Downright huge. These huge datasets not only increase - they move. They modify. They combine speed, variety, and volume so much that even human brains fail to keep up with them. Because of this, we turn to machines. Because there is a moment when even listening to your gut is not sufficient [6].

1.2 The Enabling Role of Information Technology

IT is not only a back-office function. It is essentially the backbone of modern business analytics [7]. Imagine how people transitioned from writing records on paper, storing them in filing cabinets, and checking manually at a very slow pace to the era when everything is completely managed in real time through digital ecosystems [8]. In the line with the above situation, what capabilities should an IT architecture have? First and foremost, it must be able to seamlessly receive data from a large number of geographically separated sources on a continuous basis without any delays. Secondly, it should provide scalable storage environments like data warehouses and data lakes. Besides that, the support of distributed processing for massively parallel computations is essential. Fourthly, the cloud analytics executions should be carried out with the use of elastic resources which change following the need. Finally, the option of interactive visualization should be given: Power BI Tableau custom dashboards [9, 10] Yet, the main issue is that traditional BI tools have very limited capabilities. Though, they are still able to answer "what happened"? A well-arranged timeline of historical data. Nicely. clearly. securely. Yet, next? Not really. There is no prediction of future trends. There is no discovery, of subtle, high-dimensional relationships. There is no self-adaptive rule for an ever-changing environment [11].

1.3 The Machine Learning Advantage

Machine learning is the solution:

It's a way for systems to learn from the past and predict the future [12]. Take forecasting, for instance. The algorithms analyzing historical data, identifying patterns, and trends which assist businesses in making more accurate forecasts of future results [13]. Waste reduced expenses and predictive analytics may be able to enhance forecasting of demand, managing inventory, and supply chains, thereby lowering organizational costs [14]. Yet, in reality, this is a huge jump. Adding machine learning to business analytics produces synergies that traditional intelligence simply cannot achieve [15].

1.4 Problem Statement and Research Objectives

Companies are ramping up their efforts to adopt-which means they are hiring, investing, and re-branding. But, scholarly work on the subject is lagging behind the fast-moving business environment. Also, the discrepancy between the over-hyped technology and the shortage of serious advice keeps widening. For example, there are almost no empirical studies that methodically compare several algorithms on specific business cases with real datasets. Second, the pivotal role of information technology infrastructure in supporting machine learning rollout hasn't been sufficiently conceptualized in academic papers. Third, there is still a lack of practical help in choosing the right algorithms based on data features and business goals.

The present paper aims to fill these gaps by achieving these objectives:

In the first place, to design and test a number of machine learning classifiers for production of product quality prediction as a case of business analytics problem. After that, to compare the efficiency of Logistic Regression, K-Nearest Neighbor, and Nave Bayes algorithms through the use of standardized evaluation metrics. to determine the best classifier for quality prediction based on performance data taken from experiments. Besides that, to discuss information technology infrastructure aspects for the execution of machine learning solutions in business environments. To achieve, implement and illustrate new comprehensive Explainable AI approaches to interpret KNN prediction including feature contribution perspective, counterfactual examples and neighbor-based rationale in a real-world domain. Finally, to suggest practical results to organizations planning to implement IT and machine learning to get a better understanding of business.

This paper will discuss this topic in this order. To begin with, Section 2 details business analytics through a full literature review, machine learning basics, information technology infrastructure consideration as well as empirical studies related to this evolving field. Next Section 3 outlines the research method emphasizing dataset properties, preprocessing approaches, algorithms' details, and criteria for judging different models. Section 4 is devoted to showing our experiments' results and explaining the purpose behind each of these findings. Finally in Section 5 we wrap up by discussing the theoretical aspects practicability shortcomings, and suggestions for further investigations of the paper.

2. LITERATURE REVIEW

2.1 Business Analytics: Fundamentals and Groupings

Business analytics helps an organization convert both structured and unstructured data into knowledge that results in better decision making and higher performance [6, 16]. Wang and others according to [7], business analytics is basically the work of carrying out statistical and data analysis to get insights that not only make sense but also help in making business decisions that can be defended. This cross-disciplinary area uses several domains such as machine learning statistics information systems, operations research and management science [8].

Generally, the area is divided into four major analytics types, each supporting different analytical goals:

Descriptive Analytics brings an answer to “what happened?” via the examination of historical data. This basic level of analytics covers data aggregation, summarization, and visualization to portray past performance. Among the methods are reporting, dashboards, and scorecards that offer different parties a glimpse into how the company is running [9].

Diagnostic Analytics tackles the question “why did it happen?” by looking more closely into factors that could explain the situation. For this purpose, several techniques like drill-down, data discovery, and correlation analysis can be used to reveal the main reasons for the outcomes that have been observed [17, 18].

Predictive Analytics poses the question “what will happen?” and revolves fundamentally around leveraging historical data and mathematical/statistical models in a bid to forecast potential events. So, companies acquire a more intimate knowledge of customer behavior even before demand gets unanticipatedly high or a risk stealthily unfolds [19]. Prescriptive Analytics poses another question altogether. Not “what happened?” or “what will happen?” But: what should we do? It points towards the best course of action. That is the advantage as well since it relies on the most extensive [20].

2.2 Machine Learning: Core Concepts and Algorithm Classes

Machine learning is a subfield of artificial intelligence, though essentially it is concerned with developing systems that can learn and adjust themselves based on experiences mainly data [21]. As Chatterjee (2024), the point of this is just to train the machines with past data to predict the future ones [22]. That is the main concept. From there, things get diversified. There are a few main types of algorithms [23, 24]:

For example, Supervised Learning. Essentially you give the computer data as well as the answers. So that it can learn independently to forecast the results. Typically, you divide the dataset in two: one part is for training the model, the other is for testing its accuracy [25].

Unsupervised Learning Without labeled targets. Without a helping hand. The machine finds out the data on its own by identifying natural structures, uncovering patterns. Clustering is the most popular: grouping similar instances together. Or dimensionality reduction. It's like making a complex piece of data simpler without losing the main features [26].

2.3 Related Work

Ensemble Learning And the last one is Ensemble Learning. Lots of models get together to work. Looks odd but very effective. The performance of the ensemble is almost always better than any single model inside it. Business applications are obsessed with this one: bagging (Random Forest), boosting (XGBoost, AdaBoost), stacking [27]. Jamarani et al, (2024) studied how business analytics could be used to manage sales pipelines in the software industry [28]. They experimented with the performance of the five most popular algorithms: CatBoost, Random Forest, Support Vector Machine, XGBoost, and Decision Tree. The findings eventually indicated that random forest (63% AUC) and catboost (88%) both outperformed other classifiers Much. Zohuri et al (2019) have been working quite hard coming up with predictive models based on machine learning for assessing whether a business is going to be successful. They compared gradient boosting classifiers, logistic regression and support vector machines. The best one was a gradient boosting classifier that had precision, recall and F1 scores of 57%, 34% and 43% respectively [29]. Mahesh (2023) explored the possibilities of using automated machine learning for business analytics and compared the performance of H2O AutoML and manually adjusted stacked models [30]. One of the results of the study was that AutoML setups are in particular helpful when one wants to quickly try out different ideas and might help shorten the time it takes to develop a product. Consequently, these papers report on machine learning's potential but only concentrate on improving algorithms [31]. They hardly discuss the necessity of having proper information technology infrastructure which is a big part for successful implementation in real life.

3. METHODOLOGY

3.1 Dataset Description

The data comes from Kaggle and was shared by an American farming firm. But it includes 4,000 apples, each with a quality rating. TABLE 1 shows the comprehensive dataset variables reference guide. While FIGURE 1 illustrates the selected dataset class distribution.

Table 1: The Comprehensive Dataset Variables Reference Guide




Figure 1: Dataset characteristics of the Apple Quality dataset. (a) Class distribution showing balanced quality classes. (b) Feature correlation matrix revealing relationships between physicochemical necal attributes and quality classification.

The dataset is approximately balanced, having almost equal proportions of good and bad quality instances (around 50% each) [32]. This balance is really a bonus in classification works because an imbalanced dataset not only sways the algorithm toward the majority class but also yields incorrect accuracy measures. Having such a close-to-perfect balance means that one can assess the performance of all three algorithms impartially without necessitating methods like oversampling, under sampling, or the creation of synthetic data as supported by [33].

3.2 The Proposed Model Development

In the context of this study, FIGURE 2 illustrates the proposed model.




Figure 2: The proposed Model

3.2.1 Preprocessing and feature engineering

Taking into account the model performance and accuracy requirements as an ultimate goal, we executed these steps during the preprocessing and feature selection phases as supported by [34]:

1. Missing Value Treatment: Complete case analysis was carried out, since the dataset did not have any missing values as supported by [35].
2. Feature Rescaling: We normalized features by transforming them using the z-score method in such a way that the resulting values of each feature had the mean 0 and standard deviation 1. Mathematically speaking:

$$z = (x - \mu) / \sigma \quad (1)$$

Where μ is the feature's mean value and σ is its standard deviation. Feature normalization is In particular important for KNN since the model is based on calculating the Euclidean distance between data cases.

3. Dataset Splitting: The dataset was divided into two parts, a training subset (70% = 2,800) and a testing subset (30% = 1,200), and stratified random sampling was used in splitting the data so that both subsets would have the same class distribution as the original dataset.
4. Leave-One-Out Validation Method: To evaluate performances of different models fairly while making sure overfitting problems are avoided, 5-fold cross validation strategy was deployed.

3.3 Comprehensive Classification Evaluation Metrics and Formulas




Figure 3: Comprehensive Classification Evaluation Metrics and Formulas

3.4 XAI Structure that Explains the KNN Model

To provide more transparency in the model interpretation, we came up with four different XAI methods for KNN forecasts that are all complementary as supported by [36].

3.4.1 Neighbor explanation

For each forecast made we locate and map visually the k closest neighbors that are in the training data, showing their feature vectors, distance measures, and true classes. This gives a clear insight on why a certain type of classification has been carried out.

3.4.2 Analysis of feature contributions

Feature distance metric contribution is computed to find out what characters have Much affected the choice of nearest neighbors and further classification.

3.4.3 Counterfactual examples

We create the smallest alterations of the characteristics of the input that make a change to the classification decision. This is helpful in understanding decision frontiers and sensitivity for the business users.

3.4.4 Confidence score

Based on the class distribution of neighbors, we estimate prediction confidence; a vote gap among the k nearest neighbors shows the prediction certainty level.

4. RESULTS AND DISCUSSION

4.1 Comparative Model Performance

4.1.1 Performance of logistic regression

75% average precision recall F1-score and accuracy of logistic regression were reported as results of the model. Compared to the 50% random guessing level, these results show good progression but indicate that the model can still be enhanced further. Equally good results across both categories indicate that the algorithm did not create systematic tendencies toward either quality class. 75% is an accuracy score for the model which shows that straight lines are good but not perfect ways of separating between positive and negative fruits.

4.1.2 K-nearest neighbor performance

K-NN clearly beat Logistic Regression by a huge margin (90%). The matching performance with precision, recall, and F1-score for each class clearly means there is no bias between the classes in the model performance. K-NN's better result could be due to:

1. The feature normalization step allowed the accurate computation of euclidean distances,
2. The availability of natural clustering patterns in the feature space which could be used efficiently by distance-based methods,
3. The dataset is equally distributed so that in the process, neighbors are not favoring either class proportionally,
4. The nonparametric nature of K-NN allowed exploration of decision boundaries which are non-linear.

However, while working with KNN there are few constraints of practical nature such as a production deployment scenario may not handle the $O(n)$ time and space for prediction.

4.1.3 Naive bayes performance

Both Naive Bayes and Logistic Regression exhibited performance at the level of an average weight 0.75. Differences in per-class precision and recall rates remained non-significant. It is curious to see

that such diverse underlying theories (one makes an assumption of independence between features while the other uses logistic regression) did not lead to more varied performances.

There could be two reasons: either the datasets support the independence assumption (which was made as simplification but also can have some merit), or even linear forms restrict both algorithms same thing such that they can at most reach certain performance levels.

4.2 Comparative Performance Visualization




Figure 4: Comparative Performance Across All Metrics

Based on the results shown in FIGURE 3, KNN clearly outperforms the other classifiers by margins that could be interpreted as quite significant. A difference of 15 percentage points across all metrics is a very remarkable result. This can indicate that the decision surface separating good from bad quality is non-linear. Also, feature space itself is organized in clusters per the quality types. In other words, a single point in the feature space will have local neighbors mostly from the same quality class. Hence, one model is much better than two other models suggests that the one has made better use of its data. In addition, logistic regression, and naive Bayes got the same score, which reveals that these two models must have picked up similar kinds of patterns from the dataset.

4.3 Explainable AI for KNN Predictions: Methods and Implementation

FIGURE 5, show the XAI Applied Neighbor-Based Explanation Visualization (Good Quality), while FIGURE 6 illustrates Feature Importance Percentage, and FIGURE 7 visualize XAI Applied (Bad Quality Class).




Figure 5: XAI Applied Neighbor-Based Explanation Visualization (Good Quality)




Figure 6: Feature Importance Percentage

4.4 IT Infrastructure Implementation Considerations

Deployment of KNN in production environments needs handling of multiple infrastructure issues:

1. Data Pipeline Architecture: The prediction of quality during a manufacturing process in real time needs stream data from measurement instruments integrated without delay. It is fine for the batch process to be used only in offline analyses though for the product line integration it is not enough.
2. Model Serving: Prediction with KNN algorithm has an $O(n)$ time complexity which at scale is problematic. Approximate Nearest Neighbor libraries (e. g. FAISS, Annoy) or distributed implementations are essential for deploying KNN models in production environments.




Figure 7: XAI Applied (Bad Quality Class)

3. **System Integration:** Besides prediction functionality, integration of Manufacturing Execution Systems (MES), ERP platforms, and BI dashboards for generating actionable workflows is a must.
4. **Monitoring and Maintenance:** After deployment, models need performance monitoring for changes in data distribution, concept drift and to ensure operational metrics (latency throughput CPU/memory usage) remain at the optimal level.
5. **Governance and Compliance:** Besides regulatory compliance (In particular when food safety is involved), model version history, audit log tracing must be followed during deployment lifecycle.

4.5 Business Implications of Findings

The experimental results have several important implications for business applications:

1. **Risk Perception and Mitigation Through KNN:** One of the outcomes of the prediction through KNN is an effective quality control by detecting possible defects in product at very early stages just by using the measurements of physicochemical properties.
2. **Supply Chain Optimization:** Having data that foresee the quality issues can give a head start on supplier selection and purchasing of raw materials before these issues become big enough to affect the operations seriously.
3. **Reduction in Operational Costs:** Finding a mistake at the very early stage can lead into avoiding not only the cost of rework, but also the warranty and brand costs, and customer churn. Having 90% KNN accuracy opens a big door for cost saving instead of trial-and-error method.
4. **Improvement in Customer Satisfaction:** If there is no change in the quality of a product and the same good product is being offered, then customers will not just give positive feedback, it might also result in sustained demand and a positive image in the market.

5. Facilitating the Decision Culture Based on Data: The use of the predictive quality model will probably motivate other departments or areas of operation to get on board and This way will lead to an adoption of analytics across the organization.

5. CONCLUSION

5.1 Summary of Findings

They wanted to find out if machine learning had the potential to identify more accurate business insights. Although the question was quite simple the outcome was Without a doubt significant. The choice of product quality classification as an experimental problem was excellent because it is a very familiar business analytics scenario. Three different supervised learning algorithms were selected for the competition: Logistic Regression, K-Nearest Neighbour, and Naive Bayes. They used a balanced dataset with 4,000 fruit samples that were characterized by eight different features. To begin with, all the three clearly outperformed the random baseline of 50% accuracy, which was quite evident. Secondly, K-Nearest Neighbour was far better than all the others. Actually, it was on a different level. It achieved 90% in all the measures, i.e. accuracy precision recall, and F1-score. It was a complete victory. What about Logistic Regression and Naive Bayes? They were good, but nothing special. They both scored around 75% in precision, recall, and overall performance. There is one other thing that merits consideration. The dataset is very well balanced about class that is, the evaluation was fair; there was no hidden favoritism to any quality class. So, the game was evenly matched.

5.2 Theoretical Contributions

This paper makes a few major contributions to the field of knowledge.

Firstly, a system for comparing algorithms. We provide formal, data-driven comparisons of three completely different classification algorithms based on a real-world business dataset. And the result is clear: the choice of algorithms Quite a bit changes the predicting ability.

Secondly, the perspective of ICT integration. While most papers stay focused on the algorithm, this one directly confronts the issues of ICT infrastructure. They are not mere side notes; in fact, they are the conditions for the successful implementation of the system. That's why, we measure more the operational, actual impact than the mere theoretical potential.

Thirdly, a quality classification baseline. We provide starting points for others to use. 75% for linear models. 90% for KNN. Just bare numbers. Upcoming research can immediately match or exceed these baselines.

5.3 Practical Implications

This study is based a lot on what is happening in the world right now and it offers very hands-on stuff to business people. To start with, don't take it for granted that any machine learning algorithm will do. Don't make such an expensive mistake. Algorithm choice matters a great deal. For example, KNN outperforms its competitors by 15 full percentage points. That's a nearly unheard-of difference! In most situations where product quality is being monitored, such performance difference results directly in an increase of earnings. So much data. That means the quality is very limited. Yet, the twist is getting the selected dataset balanced, and you will find modeling to be a very simple matter. In fact, quite a powerful one. But, before the companies move on to deeper parts of predictive analytics, they should give priority to raising their ability to gather, clean and change data. Third, Interpretability versus performance: logistic regression is easier to interpret (coefficients show the importance of features) and less performant than the KNN, So the trade-off has to be done by the companies per their specific needed for explainability.

Forth, Cost and Benefits of Implementation: KNN's 90 percent accuracy determines the amount of quality-related costs that could be saved; Though, organizations need to consider infrastructure investments of the system as well.

5.4 Limitations and Future Research

Limitations of the study: The use of a very small dataset (4,000 observations, and only 8 variables) for the training of models is a constraint on the generalization ability of those results. Future work is expected to look into and test different algorithms using larger and much more varied sets of data from various application areas.

Limitation of the selected Algorithms: This analysis only included three machine learning models. The next step after that should cover other types like ensembles (Random Forest, XGBoost) plus the Deep Nets family where performance comparison is of interest.

Scalability: Even though KNN was flagged to have $O(n)$ time complexity as its computational drawback the true behavior only becomes clear with actual measurements across different data sizes. So, one should measure scalability empirically before coming up with theoretical models.

XAI Assessment: The explanation system introduced in this paper needs further validation through comprehensive user experiments that address how the explanation affects decision-making, whether it makes a trust factor, or whether it leads people to an acceptance level for real-business contexts.

Long-term validation: To determine whether the model is able to deliver business value one needs long-term studies to find out how much the implementation has saved cost, how much the products have been improved, etc. This involves examining changes at multiple levels of the organization like cost cutting, quality improvement, and new adoption patterns over deployment periods.

References

- [1] Bharadiya JP. The Role of Machine Learning in Transforming Business Intelligence. *Int J Comput Artif Intell*. 2023;4:16-24.
- [2] Selvarajan GP. The role of machine learning algorithms in business intelligence: transforming data into strategic insights. *Int J All Res Educ Sci Method*. 2020;8(5):194-202.
- [3] Manduva VC. Leveraging AI, ML, and DL for Innovative Business Strategies: A Comprehensive Exploration. *Int J Mod Comput*. 2022;5:62-77.
- [4] Nagpal P. Leveraging Artificial Intelligence and Machine Learning for Gaining Competitive Advantage in Business Development. *A.I.P. Conf Proc*. 2025;3327:020002.
- [5] Chen Y, Li C, Wang HJ. Big Data and Predictive Analytics for Business Intelligence: A Bibliographic Study (2000-2021). *Forecasting*. 2022;4:767-786.
- [6] Sharma R, Mithas S, Kankanhalli A. Transforming Decision-Making Processes: A Research Agenda for Understanding the Impact of Business Analytics on Organisations. *Eur J Inf Syst*. 2014;23:433-441.
- [7] Wang Y, Byrd TA. Business Analytics-Enabled Decision-Making Effectiveness Through Knowledge Absorptive Capacity in Health Care. *J Knowl Manag*. 2017;21:517-539.
- [8] Oluoha OM, Odeskina A, Reis O, Okpeke F, Attipoe V, et al. Optimizing Business Decision-Making With Advanced Data Analytics Techniques. *Iconic res eng j*. 2022;6:184-203.
- [9] Hlaváč J, Štefanovič J. Machine Learning and Business Intelligence or From Descriptive Analytics to Predictive Analytics. In: *2020 Cybernetics & informatics (K&I)*. IEEE. 2020:1-4.
- [10] Roy D, Srivastava R, Jat M, Karaca MS. A Complete Overview of Analytics Techniques: Descriptive, Predictive, and Prescriptive. In: Jeyanthi PM, Choudhury T, Hack-Polay D, Singh TP, Abujar S (eds). *Decision intelligence analytics and the implementation of strategic business management*. 2022 Jan 1:15-30.
- [11] Lee CS, Cheang PY, Moslehpour M. Predictive Analytics in Business Analytics: Decision Tree. *Adv Decis Sci*. 2022;26:1-29.
- [12] Rane N, Choudhary S, Rane JJ. Artificial Intelligence and Machine Learning in Business Intelligence, Finance, and E-Commerce: A Review. *SSRN*. 2024. Available at: <https://ssrn.com/abstract=4843988>
- [13] Rane N, Paramesha M, Choudhary S, Rane J. Business Intelligence and Business Analytics With Artificial Intelligence and Machine Learning: Trends, Techniques, and Opportunities. *Techniques, and Opportunities*. 2024. Available at: <https://ssrn.com/abstract=4831920>
- [14] Kagalwala H, Radhakrishnan GV, Mohammed IA, Kothinti RR, Kulkarni N. Predictive Analytics in Supply Chain Management: The Role of AI and Machine Learning in Demand Forecasting. *Adv Consum Res*. 2025;2:142-149.
- [15] Khan MN. Integrative Approaches of Artificial Intelligence, Machine Learning, and Deep Learning for Advanced Business Analytics and Decision Making. *Pac J Bus Innov Strat*. 2025;2:110-121.

- [16] Niu Y, Ying L, Yang J, Bao M, Sivaparthipan CB. Organizational Business Intelligence and Decision Making Using Big Data Analytics. *Inf Process Manage*. 2021;58:102725.
- [17] Huang H, Yao XA, Krisp JM, Jiang B. Analytics of Location-Based Big Data for Smart Cities: Opportunities, Challenges, and Future Directions. *Computers, Environment and Urban Systems*. 2021;90:101712.
- [18] Foshay N, Yeoh W, Boo YL, Ong KL, Mattie D. A Comprehensive Diagnostic Framework for Evaluating Business Intelligence and Analytics Effectiveness. *Australas J Inf Syst* 19: S37–S54. 2015
- [19] Venkateswaran P S, Mm S. Predictive Analytics: Utilizing Machine Learning and Big Data for Forecasting Future Trends in Business and Consumer Behavior. In: Hussain Z, Sharipudin MN, Albattat A, Khan A, editors. *Strategic brand management in the age of AI and disruption*. IGI Global Scientific. 2025:463-492.
- [20] Babatunde AT. Driving Innovation Through AI and Machine Learning: Exploring the Opportunities of Integrating Artificial Intelligence in Business Intelligence. *Acad J Glob Who is Who Acad*. 2024;5:1-14.
- [21] Nayak M, Pattnaik A. Unlocking Business Insights: Leveraging the Synergy of Business Intelligence and Artificial Intelligence for Effective Data Analytics. In: Dubey P, Madankar M, Dubey P, Sahu KK, editors. *AI in the social and business world: A comprehensive approach*. Bentham Science Publishers. 2024;152-168.
- [22] Chatterjee S, Rana NP, Dwivedi YK. How Does Business Analytics Contribute to Organisational Performance and Business Value? A Resource-Based View. *Inf Technol People*. 2024 Mar 18;37:874-894.
- [23] Gandhale S, Wankar S, Pohekar S, Kulkarni A, Prakash O, et al. Patent Landscape Analysis on the Use of Artificial Intelligence in Carbon Capture and Utilization Technologies. *Discov Sustain*. 2026;7:203.
- [24] O'Neill M, Brabazon A. Business Analytics Capability, Organisational Value and Competitive Advantage. *J Bus Anal*. 2019;2:160-173.
- [25] Cosic R, Shanks G, Maynard SB. A Business Analytics Capability Framework. *Australas J Inf Syst*. 2026;19:24.
- [26] Rane N, Choudhary S, Rane J. Artificial Intelligence and Machine Learning in Business Intelligence, Finance, and E-Commerce: A Review. *Finance, and E-commerce: A Review*. 2024. SSRN. Available at: https://papers.ssrn.com/sol3/papers.cfm?abstract_id=4843988
- [27] Al-Okaily A, Teoh AP, Al-Okaily M. Evaluation of Data Analytics-Oriented Business Intelligence Technology Effectiveness: An Enterprise-Level Analysis. *Bus Process Manag J*. 2023;29:777-800.
- [28] Jamarani A, Haddadi S, Sarvizadeh R, Haghi Kashani M, Akbari M, Moradi S. Big Data and Predictive Analytics: A Systematic Review of Applications: A. Jamarani et al. *Artif Intell Rev*. 2024;57:176.
- [29] Zohuri B, Rahmani FM. Artificial Intelligence-Driven Resiliency With Machine Learning and Deep Learning Components. *J Commun Comput*. 2019;15:1-13.

- [30] Mahesh TR, Kumar V. Early Detection of Cancer Using Machine Learning (ML) Techniques. *Int J Inf Technol Res Appl*. 2023;2:14-21.
- [31] Osisanwo FY, Akinsola JE, Awodele O, Hinmikaiye JO, Olakanmi O, Akinjobi J. Supervised Machine Learning Algorithms: Classification and Comparison. *Int J Comput Trends Technol*. 2017;48:128-138.
- [32] Sen PC, Hajra M, Ghosh M. Supervised classification algorithms in machine learning: A survey and review. *Emerging technology in modelling and graphics: Proceedings of IEM graph 2018*. Singapore: Springer. 2019:99-111.
- [33] Eitle V, Buxmann P. Business Analytics for Sales Pipeline Management in the Software Industry: A Machine Learning Perspective. *Proceedings of the 52nd Hawaii International Conference on System Sciences*. 2019.
- [34] Merdas HM, Mousa AH. Food Sales Prediction Model Using Machine Learning Techniques. *Int J Electr Comput Eng*. 2023;13:6578.
- [35] Żbikowski K, Antosiuk P. A Machine Learning, Bias-Free Approach for Predicting Business Success Using Crunchbase Data. *Inf Process Manag*. 2021;58:102555.
- [36] Schmitt M. Creating Value With Artificial Intelligence and Big Data Analytics in the Metaverse: Conceptual Framework and Research Agenda. 2023. SSRN. Available at: https://papers.ssrn.com/sol3/papers.cfm?abstract_id=4385347